EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((tomohiko near3 taniguchi) or (keiichi near3 toiyama) or (kazuya near3 ueda)).in. and (master near3 branch).clm.	US- PGPUB; USPAT	OR	ON	2008/12/22 10:16
S1	117	((time or timing or times) near3 (adjust\$5 or synthes\$5 or synchroni\$7)) and diversi \$3 and (plurali\$3 near3 branch\$3) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 11:15
S2	0	((time or timing or times) near3 (adjust\$5 or synthes\$5 or synchroni\$7)) and diversi \$3 and (plurali\$3 near3 branch\$3) and @ad<"20040728" and 370/310,315,316,319,321,324.ccls.	US- PGPUB; USPAT	OR	ON	2008/12/16 11:16
S3	5	((time or timing or times) near3 (adjust\$5 or synthes\$5 or synchroni\$7)) and diversi \$3 and (plurali\$3 near3 branch\$3) and @ad<"20040728" and 375/354,362,364. ccls.	US- PGPUB; USPAT	OR	ON	2008/12/16 11:19
S4	3	synchroni\$7 with using with major with branch\$3 and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 14:56
S5	5	synchroni\$7 with using with (major\$3 or main) with (branch\$5 or finger\$3) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 14:58
S6	145	synchroni\$7 with (major\$3 or main) with (branch\$5 or finger\$3) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:01
S7	3	synchroni\$7 with (major\$3 or main) with (branch\$5 or finger\$3) and diversit\$5 and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:01
S8	8	synchroni\$7 with (master\$3 or major\$3 or main) with (branch\$5 or finger\$3) with reference\$3 and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:04
S9	3	synchroni\$7 with (master\$3 or major\$3 or main) near3 (branch\$5 or finger\$3) with reference\$3 and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:05
S10	306	synchroni\$7 with (major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:08
S11	1	synchroni\$7 with (major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path) and @ad<"20040728" and diversity. ti.	US- PGPUB; USPAT	OR	ON	2008/12/16 15:08
S12	8	synchroni\$7 with (major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path) and @ad<"20040728" and diversity	US- PGPUB; USPAT	OR	ON	2008/12/16 15:17
S13	0	(synchroni\$7 with (selective or selection\$3) near3 diversity).ti. and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:21

S14	85	synchroni\$7 with (selective or selection\$3) near3 diversity and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:21
S15	306	synchroni\$7 with (major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:22
S16	0	S15 and S14	US- PGPUB; USPAT	OR	ON	2008/12/16 15:22
S17	552	synchroni\$7 with (major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with reference and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:29
S18	22	synchroni\$7 with (major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with reference and @ad<"20040728" and diversity	US- PGPUB; USPAT	OR	ON	2008/12/16 15:29
S19	13	(synchroni\$7 with diversit\$3).ti. and @ad< "20040728" and diversity	US- PGPUB; USPAT	OR	ON	2008/12/16 15:47
S20	183	strongest near3 (signal or path or branch) with reference and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:52
S22	41	strongest near3 (signal or path or branch) with reference and @ad<"20040728" and diversity	US- PGPUB; USPAT	OR	ON	2008/12/16 15:53
S23	5	synchron\$5 with strongest near3 (signal or path or branch) with reference and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 15:54
S24	1	strongest near3 (signal or path or branch) with reference with ((time or timing) near3 synchron\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 16:07
S25	48	strongest near3 (signal\$3 or path\$3 or branch\$3) with reference and ((time or timing) near3 synchron\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 16:12
S26	0	(quadrature near3 detection) and diversity and branch\$3 and ((major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path) with detect\$5) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 16:37
S27	1667	((major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path) with detect \$5) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 16:37
S28	54	(quadrature near3 detection) and diversity and branch\$3 and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/16 16:37
S29	8652	indicat\$5 with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 10:49
S30	2576	indicat\$5 with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) and time\$3 with (synch\$7 or referen\$3) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 10:51

S31	1	(indicat\$5 adj signal) with (major\$3 or main or master\$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with time \$3 with (synch\$7 or referen\$3) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 10:57
S32	98	(indicat\$5) with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with time\$3 with (synch\$7 or referen\$3) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 10:59
S33	6	(indicat\$5) with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with time\$3 with (synch\$7 or referen\$3) and @ad<"20040728" and diversit\$3	US- PGPUB; USPAT	OR	ON	2008/12/19 10:59
S34	0	(determin\$3 or find or estmat\$5 or detect \$7 or monitor\$7 or check\$3 or observ\$5 or estimat\$5) with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with time\$3 with (synch\$7 or referen\$3) and @ad<"20040728" and branch\$3 and diversit\$3 and (other\$3 or another\$3 or rest) with branch\$3 with (major\$3 or main or master\$3)	US- PGPUB; USPAT	OR	ON	2008/12/19 11:07
S35	18	(determin\$3 or find or estmat\$5 or detect \$7 or monitor\$7 or check\$3 or observ\$5 or estimat\$5) with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with time\$3 with (synch\$7 or referen\$3) and @ad<"20040728" and branch\$3 and diversit\$3	US- PGPUB; USPAT	OR	ON	2008/12/19 11:07
S36	431	(determin\$3 or find or estmat\$5 or detect \$7 or monitor\$7 or check\$3 or observ\$5 or estimat\$5) with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) and @ad<"20040728" and branch\$3 and diversit\$3	US- PGPUB; USPAT	OR	ON	2008/12/19 11:11
S37	12	(determin\$3 or find or estmat\$5 or detect \$7 or monitor\$7 or check\$3 or observ\$5 or estimat\$5) with (major\$3 or main or master \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) and @ad<"20040728" and branch\$3 and diversit\$3.ti.	US- PGPUB; USPAT	OR	ON	2008/12/19 11:11
S39	328	(determin\$3 or find or estmat\$5 or detect \$7 or monitor\$7 or check\$3 or observ\$5 or estimat\$5) near3 (major\$3 or main or master\$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) and @ad<"20040728" and branch\$3	US- PGPUB; USPAT	OR	ON	2008/12/19 11:18
S40	1	(determin\$3 or find or estmat\$5 or detect \$7 or monitor\$7 or check\$3 or observ\$5 or estimat\$5) near3 (major\$3 or main or master\$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) and (major\$3 or main or master\$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) with referenc\$3 near3 time\$3 and @ad<"20040728" and branch \$3	US- PGPUB; USPAT	OR	ON	2008/12/19 11:19

			· ,	,		
S41	6	(major\$3 or main or master\$3) adj (branch \$5 or finger\$3 or path\$3 or signal\$3) with referenc\$3 near3 time\$3 and @ad<"20040728" and branch\$3	US- PGPUB; USPAT	OR	ON	2008/12/19 11:20
S42	7	(major\$3 or main or master\$3 or strong\$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) with referenc\$3 near3 time\$3 and @ad<"20040728" and branch\$3	US- PGPUB; USPAT	OR	ON	2008/12/19 11:21
S43	535	strong\$5 with referenc\$3 with time\$3 and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 11:23
S44	54	(major\$3 or main or master\$3 or strong\$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) with referenc\$3 near3 time\$3 and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 11:23
S45	0	(directional near3 antenna\$3) and (direct \$5 with (corresp\$7 or base\$on or based \$on or according or depend\$5 or ((found \$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with (GPS or gyro)) and gps and gyro and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:21
S46	10	(directional near3 antenna\$3) and (direct \$5 with (corresp\$7 or base\$on or based \$0 or according or depend\$5 or ((found \$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with (GPS or gyro)) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:21
S47	28	(directional) with (corresp\$7 or base\$on or based\$on or according or depend\$5) with (GPS or gyro) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:32
S48	0	diversity and (major\$3 or main or master \$3) near3 branch\$3 with (highest adj average) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:41
S49	0	(major\$3 or main or master\$3) near3 branch\$3 with (highest adj average) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:41
S50	0	(major\$3 or main or master\$3 or strongest \$3) near3 branch\$3 with (highest adj average) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:41
S51	0	(major\$3 or main or master\$3 or strongest \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with (highest adj average) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:42
S52	1	(major\$3 or main or master\$3 or strongest \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with (highest near3 average) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:42
S53	0	(major\$3 or main or master\$3 or strongest \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less) near3 fluctur\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:43
S54	0	(branch\$5 or finger\$3 or path\$3 or signal \$3) with ((least or less) near3 fluctur\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:48

S55	0	(major\$3 or main or master\$3 or strongest \$3) with ((least or less) near3 fluctur\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:49
S56	1	((least or less) near3 fluctur\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:51
S57	1	(major\$3 or main or master\$3 or strongest \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less) near3 fluctua\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:52
S58	57	(major\$3 or main or master\$3 or strongest \$3) with ((least or less) near3 fluctua\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:53
S59	591	(branch\$5 or finger\$3 or path\$3 or signal \$3) with ((least or less) near3 fluctua\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:54
S60	1052	(branch\$5 or finger\$3 or path\$3 or signal \$3) with ((least or less or mini\$5) near3 fluctua\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:58
S61	1	(major\$3 or main or master\$3 or strongest \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less or mini\$5) near3 fluctua\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 12:59
S62	7	(major\$3 or main or master\$3 or strongest \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less or minim\$7 or small\$5 or low\$5) near3 fluctua\$7) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 13:00
S63	155	(major\$3 or main or master\$3 or strongest \$3) near3 (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less or minim\$7 or small\$5 or low\$5) near3 (vari\$7)) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 13:03
S64	35	(major\$3 or main or master\$3 or strongest \$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less or minim\$7 or small\$5 or low\$5) near3 (vari\$7)) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 13:05
S65	36	(major\$3 or main or master\$3 or strongest \$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less or minim\$7 or small\$5 or low\$5) near3 (vari\$7 or varying)) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 13:08
S66	4	(major\$3 or main or master\$3 or strongest \$3) adj (branch\$5 or finger\$3 or path\$3 or signal\$3) with ((least or less or minim\$7 or small\$5 or low\$5) near3 (vary\$5)) and @ad<"20040728"	US- PGPUB; USPAT	OR	ON	2008/12/19 13:10

12/22/2008 10:28:32 AM

C:\ Documents and Settings\ fng\ My Documents\ EAST\ Workspaces\ 10568280.wsp